

Effective October 15, 2010

WHOLESALE PRICE LIST



SOS PRODUCTS COMPANY, INC.

PO Box 47 401 Fourth Street
East Greenville PA 18041 USA
215-679-6262 / 800-345-6300

215-679-0700 / 800-2-FAX-SOS (232-9767)

Web Site: <http://www.sos-prod.com>

E-Mail: info@sos-prod.com

PRO PRODUCTS

TM

CLICK ON PRODUCTS BELOW TO FIND

	Page	Group	INDEX	Page	Group		Page	Group
ABS-DWV Cement	3	2				Roof Flashings	16	15
Acid, Flux, Pro SolderBrushes	15	13				Roof "N" Flashing Cement	6	5
Airout	8	8				Rootout	5	4
All-Purpose Cement	3	2	Liquid Lube	9	8	Rope Seal	5	3
All-Purpose Degreaser, Biodegradable	10	10	Liquid Solder Flux, Lead Free	1	1	Runners, A-9 for Fire King Chamber	16	14
Aluminum Paint	11	11	Liquid Flux #2, Lead Free	2	1	Rust Blaster		addendum
Anchor Kits	14	12	Lube Oil	9	9	Silicone Grease	10	9
Anti-Freeze (Inhibited) (-55, -100, -200)	8	8	Odorout Powder	11	10	Silicone Spray	10	9
Anti-Freeze (Inhibited) for Aluminum	8	8	Odorout Spray	11	10	Solder Flux Gel, Lead Free	2	1
Anti-Freeze Inhibitor	8	8	Oil Absorber	11	10	S.O.S. #1	10	9
Anti-Freeze Test Kits	8	8	"One Hour" Boiler Cleaner, Dry Steam	8	8	S.O.S. #2	10	9
Asphalt Paint	12	11	"One Hour" Liquid Weld	7	6	S.O.S. #3	10	9
Atomic Heat	9	8	"One Hour" Powder Weld	7	6	S.O.S. #8 Yellow	3	3
Bactifed	5	4	Oxy-Fix	5	4	S.O.S. #10 Blue	3	3
Baffles, Hanging	16	14	P.D.Q. Penetrating Oil Spray	10	9	Soot Blaster	9	8
Bearing Assembly Lube	10	9	Paste Solder Flux,			Soot Destroyer Powder	9	8
Blastout	5	4	Ammoniated - Lead Free	1	1	Soot Destroyer Spray	9	8
Boiler Cleaner, "One Hour", Dry Steam	8	8	Paste Solder Flux,			Spanner Flange	14	12
Boiler Colloid Liquid	8	8	Greenless - Lead-Free	1	1	Speed Clean Spray	11	10
Boiler Putti	7	7	Greenless - Lead-Free Hot Weather	1	1	Speed Metal	6	5
Boiler Stopleak Liquid	6	6	Paste Solder Flux,			Speed Seal	6	5
Boiler Stopleak Powder	6	6	Water Washable - Lead-Free	1	1	Spray Paints	12	11
Bolts: See Pro Bolts			Patching Cement	7	7	Sprinkler Flux, Lead Free	2	1
CPVC Cement	3	2	Penetrate "77"	10	9	Standardization Discount Program	17	
Caulking Gun	15	13	Pep (Fuel Oil Conditioner)	9	8	Stove Cement	7	7
Cesspool & Septic Tank Cleaner	5	4	Pipe Dope	4	3	Stove Gasket Cement	7	7
Cherry Aire	9	8	Pipe Dope Brush	15	13	Straps	16	13
Chimney Cleaner	8	8	Pipe Dope Tape & Bulk Tape	4	3	Super Silicone Sealant	6	5
Citrus Hand Soap	11	10	Pipe Joint Lube	10	9	Super Silicone Sealant Hi-Temp (red)	6	5
Closet Screws	14, 15	12	Plastic Pipe Cements	2, 3	2	Surgeout		addendum
Cold Weather PVC Clear	2	2	Plastic Pipe Cement Daubers	15	13	Tank Bolts	13	12
Combo Cement, All-Purpose	7	7	Plastic Pipe Cleaner	3	2	Teflock	4	3
Combo Cement, Non-Freezing	7	7	Plasti-Putti	6	5	Teflon" Pipe Dope	4	3
Combustion Chambers	16	14	Plastik-Fix Epoxy	6	5	TFE Penetrating Oil Spray	10	9
Condenser Coil Cleaner, Acid	10	10	Plug, Water Stopping Cement	8	7	Terms & Conditions	17	
Condenser Coil Cleaner, Non-Acid	10	10	Plumber's Open Mesh Abrasive Cloth	15	13	Thik Dope	4	3
Contact Cleaner	11	10	Plumber's Sand Cloth Roll	15	13	Toilet Bolt Caps	14	12
Cutting Oil (Clear & Dark)	9	9	Plumber's "Super Red Cut"	15	13	Toilet Bowl & Porcelain Cleaner	11	10
Drain Pipe Cleaner	5	4	Powdered Hand Cleaner	11	10	Tub & Tile Caulk	6	5
Drain Whiz	5	4	Pro Bolt	12, 13, 14	12	Tube Cleaning Brushes	16	13
Dry Pipe	11	10	Brass	12, 13	12	Urinal Urethane Gasket	12	12
Easyring		addendum	Plated	14	12	Water Detector	11	10
Easyhorn		addendum	Brass Bolt w/ Plated Accessories	13, 14	12	Water Flushable Paste Flux	2	1
Epoxy Putty	6	5	Nylon		addendum	Water Line Tape	4	3
Fast Steam		addendum	Supers, Brass	13	12	Water Out	9	8
Fiberglass Cleaner & Polish	11	10	Supers, Brass w/ Plated Accessories	13, 14	12	Wax Rings (Calk)	12	12
Fin/Coil Cleaner	10	10	3-1/2" Brass	13	12	Super 8 Calk	12	12
Fire Resistant Mortar		addendum	1/4" Brass w/ double nuts	13	12	Polyflange Calk	12	12
Fitting Brushes, Wire & Plastic	15, 16	13	Pro Flux, Lead Free	1	1	Pro-Pak Calk, bagged rings	12	12
Fresh Aire	9	8	Pro Flux 95, Lead Free	1	1	Jumbo Ring (Super 8 & Polyflange)	12	12
Furnace Cement	7	7	Pro Lube	10	9	4" Polyflange Calk	12	12
Gas Line Tape	4	3	Pro Solder, Lead Free	1	1	Super 8 Calk w/ Urethane	12	12
Gloves, Clear Vinyl		addendum	Pro Solder, Tin/Lead	1	1	Polyflange Calk w/ Urethane	12	12
Greaseout	5	4	PVC Cement Blue "Wet & Dry"	2	2	Super 8 Calk w/ Bolt Kit	15	12
Heat Proof Grease	10	9	PVC Cement Clear - Medium Body	2	2	Polyflange Calk w/ Bolt Kit	15	12
Heavy Duty Degreaser	11	10	PVC Cement Clear - Regular Body	2	2	4" Polyflange Calk w/ Bolt Kit	15	12
Hi-Temp Stove Paint	12	11	PVC Cement Gray - Heavy Duty	2	2	Waterstop Plugs	1	1
Hot Stop	1	1	PVC Cement Clear-Heavy Duty	2	2	Weld-Tite	7	7
Instant Galvanize	11	10	PVC Primer Cleaner (Clear or Purple)	3	2	Wipes	11	10
Kling Cutting Oil Spray	9	9	PVC Cable Saw	16	13	Wipes Rough N Tough		addendum
Leak Detector	11	10	Retort Cement	7	7			
Lime Solvent	9	8	Roof Coating	6	5			
Liquid Caustic Drain Opener	5	4						

Addendum on Reverse Side

*Dupont Trademark


NEW PRODUCT ADDENDUM PAGE

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
EASY BOWL RING Professional Wax Ring Meets Federal Spec. TT-P-1536A Meets Federal Spec. A-A-3110 <i>Economically Priced.</i>	EASYRING		48	20	1.10
EASY BOWL RING w/ FLANGE WITH PLASTIC HORN For 3" and 4" Lines Meets Federal Spec. TT-P-1536A Meets Federal Spec. A-A-3110	EASYHORN		24	11	1.43
PRO BOLT NYLON Pair of Nylon Closet Bolts 5/16" x 2-1/2" With 2-Nut washer combined. Strong, corrosion proof.	PB5N	2-1/2" x 5/16"	100 pair	5	1.01
RUST BLASTER Kills rust and stains. For use with water softeners, sinks, tubs toilet bowls, tile, stone, water heaters, piping, flush boxes, etc.	RB-1	20 OZ.	12	18	5.90
ROUGH 'N' TOUGH WIPES Dual sided rugged pre-moistened hand cleaning towels that removes plastic pipe cements, sealants, grease, paint and other tough soils. One side is Rough, the other side is Smooth.	RTWIPES	12" X 10"	6	14	21.56
FIRE RESISTANT MORTAR Black high heat mortar for sealing openings in wood-frame construction as well as repairing fireplaces. Withstands temps. up to 2000 deg F.	FRM-1	10 FL. OZ.	12	18	4.14
CLEAR VINYL GLOVES Clear vinyl gloves to help keep hands free from dirt, dust and chemicals while on the job. Chemical, grease & oil resistant. Powered for ease of use. large & extra large sizes	GLOVEL GLOVEXL	LARGE EXTRA LARGE	100 100 1000	1 2 10	8.80 8.80 8.58
SURGEOUT Boiler Treatment Stops surging, priming, foaming and corrosion. Color coded for accurate dosage and performance.	SO-1	1.5 OZ.	24	18	11.00
BLASTOUT World's Most Powerful Blockage Opener **With Pour Spout	BLG	1 GAL.**	4	64	44.00
FOR PROFESSIONAL USE ONLY					NOT FOR RETAIL SALE
FAST STEAM Prevents boilers from surging and priming with a built-in color code indicator. Starts working immediately, is environmentally and bio-safe, removes oil and grease, eliminates scale, no blow-off or draining.	FAST-1	1 LB.	12	15	14.96



1 FLUXES, SOLDERS AND ACCESSORIES

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
*PRO SOLDER 95[®] LEAD-FREE					
95/5 Tin-Antimony Solder with S.O.S. Flux in paste form. Free Brush.	PS-955	1/2 LB.	12	8	27.72
	PS-951	1 LB.	12	13	46.20
	PS-952	2 LB.	12	26	80.85
<i>Perfect for use on potable water lines.</i>					
*PRO SOLDER[®]					
50/50 Tin-Lead Solder with S.O.S. Flux in paste form. Free Brush.	PS-4CX	4 OZ.*C	24	14	6.56
	PS-1/2X	1/2 LB.	12	7	10.56
	PS-1X	1 LB.	12	13	20.26
	PS-3X	3 LB.	12	43	56.76
<i>Not for use on potable water lines.</i>					
*PRO SOLDER 40[®]					
40/60 Tin-Lead Solder with S.O.S. Flux in paste form. Free Brush.	PS-405	1/2 LB.	12	8	6.18
	PS-401	1 LB.	12	13	12.01
	PS-403	3 LB.	12	42	26.58
<i>Not for use on potable water lines.</i>					
*PRO FLUX[®] LEAD-FREE					
Cleans, fluxes, tins in one easy operation. SAVES SOLDER.	PF-1/8	1/8 PT.	48	10	4.71
	PF-1/2	1/2 PT.*B	25	18	11.44
<i>Perfect for use on potable water lines.</i>					
*PASTE SOLDER FLUX GREENLESS[®] LEAD-FREE					
Odorless	SFG -T	1 OZ. tube*dc	12 dz	14	11.75
Self -Cleaning	SFG -1/8	2 OZ.	48	10	2.31
All-Weather	SFG -2B	2 OZ.	48	9	3.12
	SFG -1/4	1/4 PT.	50	16	5.43
	SFG -1/2	1/2 PT.*B	50	31	7.17
	SFG -1	1 PT.	24	28	11.44
	SFG -1/2 HW	1/2 PT.*B	50	31	7.28
	SFG -1HW	1 PT.	24	28	11.44
HOT WEATHER FORMULA					
HOT WEATHER FORMULA					
HOTSTOP[™]					
Heat Sink Liquid. Removes heat. Protects sensitive areas from heat while soldering, brazing. Odorless, biodegradable, non-staining, non-toxic. Free trigger spray.	HS-32	1 QT.	12	26	15.84
WATERSTOP[™]					
Dissolvable pipe plugs keeps the soldering area free from water by blocking water in pipe. Dissolves after use with heat.	WS-1/2	1/2"	12	1	10.54
	WS-3/4	3/4"	12	2	10.54
*PASTE SOLDER FLUX LEAD-FREE					
"Ammoniated" for the tough jobs.	SFA -1/4	1/4 PT.	50	17	3.56
	SFA -1/2	1/2 PT.	50	32	4.53
Self-Cleaning.	SFA -1	1 PT.	24	28	7.39
*LIQUID SOLDER FLUX LEAD-FREE					
"Regular" Self -Cleaning Liquid Flux for all metals except Aluminum & S.S.	LSF -1/4	1/4 PT.**	24	11	5.87
	LSF -1	1 PT.	12	21	7.63



*10 cases=5% discount. Qualifying fluxes/solders may be combined for Quantity Discount.

*C Carded Blister Paks

**Spout Cap

*D Jumbo Dauber-in-Can

*dc Display Carton

*B Brush-in-Can

1 FLUXES, SOLDERS AND ACCESSORIES

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
*LIQUID FLUX #2 LEAD-FREE					
Self -Cleaning. Solders S.S. & all metals except Aluminum.	SSF -1/4	1/4 PT.**	24	8	6.01
	SSF -1	1 PT.	12	19	8.56
*SOLDER FLUX GEL LEAD-FREE					
Non -Drip, Non -Runny, Self -Cleaning Gel Flux.	GEL -1/4	1/4 PT.*D	24	10	7.04
	GEL -1/2	1/2 PT.*D	24	18	11.79
*SPRINKLER FLUX LEAD-FREE					
Self -Cleaning. Recommended for fire sprinkler systems. Meets CDA ASTM Standards.	SPR -4	1/4 PT.	24	8	5.98
	SPR -8	1/2 PT.	24	14	10.19
*WATER FLUSHABLE PASTE FLUX LEAD-FREE					
All -Climate. Non-Separating. Meets CDA STM 1.0 ASTM B-813	WFF-2	1.7 OZ.	48	8	3.10
	WFF-4	4 OZ.	24	7	5.08
	WFF-8	8 OZ.	24	15	7.62
	WFF-16	1 LB.	12	13	12.24



2 PLASTIC PIPE CEMENTS & CLEANERS

***PVC CEMENT CLEAR REGULAR-BODY							
Fast setting PVC Cement for pipe & fittings up to Schedule 40 & up to 4" diameter. ASTM SPEC. #D2564	NSF	PVC -4R	1/4 PT.*D	24	9	4.20	
		PVC -8R	1/2 PT.*D	24	15	5.83	
		PVC -16R	1 PT.*D	12	14	9.44	
		PVC -32R	1 QT.*D	12	27	17.34	
		PVC -GR	1 GAL.	4	35	52.25	
***PVC CEMENT CLEAR							
Medium to fast setting cement for up to Schedule 40 PVC pipe & fittings for use up to 8" diameter. ASTM SPEC. #D2564	NSF	PVC -C4	1/4 PT.*D	24	9	4.66	
		PVC -C8	1/2 PT.*D	24	15	5.96	
		PVC -C16	1 PT.*D	12	14	10.21	
		PVC -C32	1 QT.*D	12	27	14.56	
		PVC -CG	1 GAL.	4	35	54.30	
***COLD WEATHER PVC CLEAR							
For PVC pipe & fittings up to Schedule 40 & up to 6". Withstands shipping & storage temperatures below zero to -10° F. (-23° C.) ASTM SPEC. #D2564	NSF	OPVC -8	1/2 PT.*D	24	15	8.87	
		OPVC -16	1 PT.*D	12	14	13.05	
		OPVC -32	1 QT.*D	12	27	21.82	
***PVC CEMENT HEAVY DUTY							
CLEAR OR GRAY A heavy duty cement for Schedule 40 & 80 PVC pipe & fittings for use up to 12" diam. ASTM SPEC. #D2564	NSF	PVC -4H	PVC -G4	1/4 PT.*D	24	9	5.96
		PVC -8H	PVC -G8	1/2 PT.*D	24	12	8.87
		PVC -16H	PVC -G16	1 PT.*D	12	15	12.80
		PVC -32H	PVC -G32	1 QT.*D	12	26	21.85
		PVC -GH	PVC -128	1 GAL.	4	33	78.17
***PVC CEMENT BLUE "WET & DRY"							
Extremely "Fast-Setting" for Irrigation piping and swimming pool installations.	NSF	PVC -16I	1 PT.*D	12	14	13.11	
		PVC -32I	1 QT.*D	12	27	21.85	
		PVC -GI	1 GAL.	4	35	72.78	



** Spout Cap *10 cases=5% discount. Qualifying fluxes/solders may be combined. *D Jumbo Dauber-in-Can

***QUANTITY DISCOUNTS AVAILABLE

2 PLASTIC PIPE CEMENTS & CLEANERS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
***ABS-DWV CEMENT					
REGULAR-HEAVY DUTY	ABS -4B	1/4 PT.*D	24	8	4.40
Black. Fast-setting cement	ABS -8B	1/2 PT.*D	24	10	5.83
for ABS -DWV pipe and fittings	ABS -16B	1 PT.*D	12	13	9.35
up to Schedule 80, 8" diameter	ABS -32B	1 QT.*D	12	25	16.04
ASTM SPEC. #D2235.	ABS -GB	1 GAL.	4	35	44.02



***CPVC CEMENT					
Plastic Cement for hot	CPV -4	1/4 PT.*D	24	8	6.84
water. For use on CPVC	CPV -8	1/2 PT.*D	24	15	9.61
pipe & fittings up to	CPV -16	1 PT.*D	12	16	16.04
6" diameter.	CPV -32	1 QT.*D	12	26	25.04



***ALL PURPOSE CEMENT					
For joining PVC, CPVC, ABS	APC -4	1/4 PT.*D	24	8	6.12
& Styrene pipe and fittings.	APC -8	1/2 PT.*D	24	15	8.73
Non -pressure only.	APC -16	1 PT.*D	12	16	14.41
	APC -32	1 QT.*D	12	26	26.05



***PVC PRIMER CLEANER	CLEAR OR PURPLE		SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
	CLEAR	PURPLE				
For use with All	APP -4C	APP -4	1/4 PT.*D	24	8	5.54
Purpose Cement,	APP -8C	APP -8	1/2 PT.*D	24	15	7.41
CPVC, ABS, PVC,	APP -16C	APP -16	1 PT.*D	12	14	11.51
Styrene. Specify	APP -32C	APP -32	1 QT.*D	12	25	18.94
Clear or Purple.	APP -GC	APP -G	1 GAL.	4	30	51.08
ASTM SPEC.#F656						



***PLASTIC PIPE CLEANER					
"ALL PURPOSE	PPC -4	1/4 PT.*D	24	8	4.40
SURFACE CLEANER"	PPC -8	1/2 PT.*D	24	15	5.39
For removing foreign matter	PPC -16	1 PT.*D	12	14	9.04
and dirt from ABS, CPVC, PVC,	PPC -32	1 QT.*D	12	24	12.39
Styrene pipe and fittings.	PPC -G	1 GAL.	6	49	40.48



3 THREAD SEALANTS, GASKET & PACKING MATERIALS

S.O.S. #8					
All-Purpose Pipe Dope, Yellow,	SOS -8	1/2 PT.*B	25	21	11.09
Slow -Dry, Fuel oil, Gasoline,	SOS -16	1 PT.*B	12	19	18.59
Kerosene, LP Gas, Water, Steam, etc.					



S.O.S. #10 BLUE					
Brush-on all purpose, easy cleanup	SOS10 -4	1/4 PT.*B	24	12	7.96
for metal and plastic, thread & gasket	SOS10 -8	1/2 PT.*B	25	21	13.40
sealant. Quick-setting, Non-hardening.	SOS10 -16	1 PT.*B	12	19	21.36
	SOS10 -32	1 QT.*B	12	35	37.42



*D Jumbo Dauber-in-Can

***QUANTITY DISCOUNTS AVAILABLE

*B Brush-in-Can

3 THREAD SEALANTS, GASKET & PACKING MATERIALS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
PIPE DOPE	PD-2	2 OZ. tube *dc	144	21	2.09
Non -Settling, contains no lead, for water, steam, air, etc. SC-ScrewCap.	PD-4	1/4 PT.*B	50	25	3.23
	PD-SC	1/2 PT.*B	25	21	4.86
	PD-16	1 PT.	24	38	7.50
	PD-5 O	1/2 GAL.	6	36	23.10
	PD-1G O	1 GAL.	4	58	39.05
	PD-5G O	5 GAL.	1	68	174.42
THIK DOPE	THD -SC	1/2 PT.*B	25	21	5.02
No -Drip, No-Spill Formula for leak-proof pipe joining for water, steam, air, etc. SC-ScrewCap.	THD -16	1 PT.	24	40	7.50
	THD -5 O	1/2 GAL	6	36	17.34
	THD -1G O	1 GAL.	4	57	38.13
	THD -5G O	5 GAL.	1	68	158.25
TEFLON® PIPE DOPE	TFD-2	2 OZ. tube	48	8	4.40
"World's Finest" A heavy duty universal paste thread sealant with Dupont Teflon. Non-toxic, seals & lubes most materials. SC-ScrewCap.	TFD-4	1/4 PT.*B	24	11	7.17
	TFD-SC	1/2 PT.*B	25	23	13.75
	TFD-16	1 PT.*B	12	19	22.88
	TFD-32	1 QT.	12	35	46.20
	TFD-G O	1 GAL.	4	52	161.70
	TFD-5G O	5 GAL.	1	68	658.35
TEFLOCK™	TEFLOCK-4	1/4 PT *B	24	11	7.39
Grit -Free, Hi-Performance BLUE sealant with Teflon. For plastic and metal piping. Odorless, soft -set. Easy clean up with dry cloth.	TEFLOCK-8	1/2 PT *B	24	23	12.12
	TEFLOCK-16	1 PT *B	12	19	19.76
*PIPE DOPE TAPE BULK	TFEC -1	1/2" x 260"	200	5	1.03
Bulk -packed tape in plastic dispensers. TFE tape seals all types of pipe threaded connections. Meets SPEC MIL-T-27730A. For use on oxygen systems.	TFEC -2	1/2" x 520"	200	6	1.56
	TFEC -3	1/2" x 1296"	200	19	4.40
	TFEC -4	3/4" x 260"	140	8	1.63
	TFEC -5	3/4" x 520"	140	10	2.42
	TFEC -6	1" x 520"	144	12	2.88
**PIPE DOPE TAPE	PDT -1	1/2"x60" *C	72	3	1.50
TFE tape for sealing all types of pipe threaded connections. Meets performance requirements of specification MIL -T-27730A. For use on oxygen systems.	PDT -2	1/2"x260" *C	48	2	2.27
	PDT -4	1/4"x1296"	12	2	7.77
	PDT -6	1/2"x260"	12	2	1.50
	PDT -7	1/2"x520"	12	2	1.67
	PDT -8	1/2"x750"	12	3	8.14
	PDT -9	3/4"x260"	12	2	2.29
	PDT -10	3/4"x520"	12	3	2.88
	PDT -11	3/4"x750"	12	2	10.93
	PDT -12	1"x200"	12	2	3.15
	PDT -13	1"x500"	12	3	6.38
	PDT -14	1"x750"	12	3	15.53
*YELLOW GAS LINE THREAD TAPE	TFEC-1Y	1/2" x 260"	144	5	4.49
PTFE tape seals all types of gas lines. Natural gas, propane and butane lines. Meets Mil. Spec. T-27730A. Bulk packed.					
**PINK WATER LINE THREAD TAPE	PDT-1P	1/2" x 260"	50	5	3.34
Heavier than standard white tapes. Premium high density PTFE tape ensures leak free joints. Meets Mil. Spec. T-27730A.					



***QUANTITY DISCOUNTS- Bulk Pipe Dope Tape 6 cartons and over - Less 10%**

****QUANTITY DISCOUNTS-** For one or assorted sizes except carded items. 144 rolls or more Pipe Dope Tape less 30% off per roll. Pipe Dope Tape and Rope Seal may be combined for Quantity Discounts.

*B Brush-in-Can *dc Display Carton ® Dupont Trade Mark O Handle *D Jumbo Dauber-in-Can *C Carded Blister Paks

3 THREAD SEALANTS, GASKET & PACKING MATERIALS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
**ROPE SEEL	RS -1	3/32"x24" *C	48	2	3.39
Packing & gasket material in easy to use rope form.	RS -2	3/32"x100" *dc	12	2	7.83
	RS -3	3/32"x240" *dc	12	3	15.64
	RS -4	3/32"x600" *dc	12	5	23.10
	RS -5	5/32"x180" *dc	12	4	28.73
	RS -6	5/32"x420" *dc	12	9	34.74
	RS -7	7/32"x180" *dc	12	3	44.15



****QUANTITY DISCOUNTS-** For one or assorted sizes except carded items. 144 rolls or more Rope Seel 20% off per roll. Pipe Dope Tape and Rope Seel may be combined for Quantity Discounts.

4 DRAIN & SEWAGE SYSTEM CLEANERS

BLASTOUT® World's most powerful blockage opener. *With Pour Spout. Up-to-date UN packaging. Broad form Vendor Product Liability available.	BL -1 BL -H	1 QT. 1/2 GAL.*	12 6	52 50	14.63 25.76
			FOR PROFESSIONAL USE ONLY		NOT FOR RETAIL SALE
BACTIFEED Activator for cesspools & septic tanks.	BAC	9 OZ.	12	9	12.01
CESSPOOL AND SEPTIC TANK CLEANER Dissolves organic matter and grease in sluggish, clogged septic tanks, cesspools & grease traps.	CES -5 CES -15 O CES -25 O CES -37 O	5 LB. 15 LB. 25 LB. 37 LB.	6 1 1 1	33 15 25 37	33.04 69.92 129.47 149.16
DRAIN PIPE CLEANER Dissolves in hot or cold water to remove grease, hair, paper, lint, etc.	DPS -1 DPS -2	13 OZ. 26 OZ.	24 12	28 25	5.72 11.00
DRAIN WHIZ™ Fresh orange scent. Lightning-fast -acting crystals dissolves in hot water to remove grease, hair, paper, lint, etc.	WHIZ-1	20 OZ.	24	35	10.16
GREASEOUT Biodegradable, Non-acid, Non-caustic. Clears grease, clogged cesspools, septic tanks, drain lines.	GR -32 GR -G GR -5G O GR -55G	1 QT. 1 GAL. 5 GAL. 55 GAL.	12 6 1 1	40 75 65 598	22.29 73.96 336.18 2577.34
LIQUID CAUSTIC DRAIN CLEANER (ALL-IN-ONE FORMULA FOR KITCHEN & BATH) Professional caustic cleaner maximum strength, non-acid dissolves fat, hair, grease, organic matter. Pours through standing water, will not harm disposals, pipes, or porcelain.		NEW GIANT SIZE!			
	LCDO -1 LCDO -G	1 QT. 1GAL.	12 4	35 40	7.57 24.90
ROOTOUT Eliminates roots.	RO -2 RO -50 O	2 LB. 50 LB.	12 1	28 54	21.52 427.70
OXY-FIX™ Restores septic drainfields and cesspools. Hi-power porosity restorer.	OXYFIX -1 OXYFIX -5	9 LB. 46 LB.	4 1	38 47	67.50 245.45















*C Carded Blister Paks

*dc Display Carton

O Handle

5 PUTTY, EPOXY, CAULK & COLD SOLDER COMPOUNDS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH	
*EPOXY PUTTY - 5 MINUTE The "ORIGINAL" Patented "World's Finest" one -step, easy to use. No weighing or measuring. Metal -Hard Repairs. White or gray.	EP -2	2 OZ.	GRAY	48	10	4.84
	EP -4	4 OZ.	GRAY	48	16	8.78
	EP -4X	4 OZ.	GRAY	24	8	8.91
	EP -4W	4 OZ.	WHITE	48	16	8.78
						
*PLASTIC FIX EPOXY For ABS, PVC, CPVC and other plastic repairs	PLASTIK-4	4 OZ.		24	8	9.22
	*QUANTITY DISCOUNT 5 cases or more = less 5% (applies to EPOXY PUTTY & PLASTIC FIX)					
						
PLASTI-PUTTI® "World's Finest" non-hardening, non-crumbling, bacteria-proof putty. Meets Fed. SPEC TT-P 1536	PP -1	14 OZ.		48	50	2.18
	PP -3	3 LB.		12	39	6.07
	PP -5	5 LB.		12	62	11.88
	PP -15 O	15 LB.		4	62	27.90
	PP -25 O	25 LB.		1	25	40.33
						
ROOF 'N' FLASHING CEMENT All Weather, Wet or Dry ASBESTOS-FREE	ROC -T	11 OZ.*C		25	17	6.01
	ROC -Q	1 QT.		12	30	11.11
	ROC -G O	1 GAL.		6	51	27.81
	ROC -5G O	5 GAL.		1	38	127.05
						
ROOF COATING All Weather, Wet or Dry ASBESTOS-FREE	ROP -H	1/2 GAL.		12	52	9.81
	ROP -G O	1 GAL.		6	50	16.06
						
SPEED METAL A ready mix metal repair and filler.	SM -4	1/4 PT.		12	7	7.28
	SM -8	1/2 PT.		12	12	1058
	SM -16	1 PT.		12	22	17.34
						
SPEED SEEL Caulks soil pipe and 1001 repairs.	SPS -8	1/2 PT.		12	12	9.72
	SPS -16	1 PT.		12	23	15.95
	SPS -Q	1 QT.		12	40	30.01
						
TUB & TILE CAULK All -purpose professional latex caulk with silicone.	TTC -6	6 OZ.	WHITE	24	13	5.08
	TTCOW -6	6 OZ.	ALMOND	24	13	5.08
	TTCLR -6	6 OZ.	CLEAR	24	13	5.08
	TTC -11	10.7 OZ.*C	WHITE	12	13	7.28
						
SUPER SILICONE SEALANT 50 year durability, 100% silicone, high performance sealing compound. NSF, USDA, FDA approval. Meets all federal specifications. Temperature range -65°F. to 450°F.	SSS -11W	10.6 OZ.*C	WHITE	12	11	
	SSS -11C	10.6 OZ.*C	CLEAR	12	11	
	SSS -11A	10.6 OZ.*C	ALUMINUM	12	11	
					1 Case	7.97
				10 Cases	7.16	
						
HI-TEMP RED SILICONE 600°F Insulates thermally for fired heaters, boilers, ovens, flues up to 600°F.	SSS -RHT	10.3 OZ.*C	RED	12	11	15.29
						
6 BOILER & HEATING SYSTEM STOPLEAKS						
BOILER STOPLEAK LIQUID With corrosion inhibitor. OIL FREE FORMULA.	BSL-1	1 QT.		12	35	13.29
	BSL-4	1 GAL.		6	70	38.46
						
BOILER STOPLEAK POWDER Forms a tough metallic weld at crack.	BSP-1	1 LB.		12	12	15.60
						

O Handle

*C Cartridge

6

BOILER & HEATING SYSTEM STOPLEAKS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
"ONE HOUR" LIQUID WELD Stopleak for Hydronic Systems. OIL FREE FORMULA.	OLW -1	1 QT.	12	30	19.84
"ONE HOUR" POWDERED WELD For Steam or Hot Water Heating Boilers	OPW -1	1 LB.	12	17	17.45



7 BOILER & REFRACTORY CEMENTS (ASBESTOS FREE, FIBERGLASS FREE)

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
BOILER PUTTI For sealing joints where hi-temp is not a factor.	BP-5	5 LB.	12	68	19.67
	BP-15 O	15 LB.	4	61	53.59
NON-ASBESTOS	BP-25 O	25 LB.	1	25	94.95



PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
ALL PURPOSE COMBO CEMENT 3000 All purpose Retort and Furnace Cement.	CC-5 O	1/2 GAL.	6	52	14.39
	CC-13 O	1 GAL.	4	62	26.62
NON-ASBESTOS HEAVY-DUTY	CC-25 O	2 GAL.	1	25	50.53



PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
ALL PURPOSE (NON-FREEZING) COMBO CEMENT Non -Freezing 3000 All-Purpose Retort & Furnace Cement.	CCNF -5 O	1/2 GAL.	6	52	16.96
	CCNF -13 O	1 GAL.	4	56	32.91
NON-ASBESTOS HEAVY-DUTY	CCNF -25 O	2 GAL.	1	25	63.93



FURNACE CEMENT	BLACK	GRAY			
3000	FC-11B		10.7 OZ.**	12	4.33
Hi-Temp	FC-1/2B	FC-1/2G	1/2 PT.	48	3.23
	FC-1B	FC-1G	1 PT.	24	5.87
Black or Gray	FC-5B O	FC-5G O	1/2 GAL.	6	14.59
NON-ASBESTOS	FC-13B O	FC-13G O	1 GAL.	4	26.75
HEAVY-DUTY	FC-25B O	FC-25G O	2 GAL.	1	52.38



PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
RETORT CEMENT 3000 For setting fire-brick, combustion chambers. NON-ASBESTOS	RC-13 O	1 GAL.	4	55	24.20
	RC-25 O	2 GAL.	1	25	47.72
	RC-50 O	5 GAL.	1	50	112.31



PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
STOVE CEMENT For wood and coal stoves.	STV -1/2	1/2 PT.	48	44	3.23
	STV -1	1 PT.	24	43	6.03
NON-ASBESTOS	STV -13 O	1 GAL.	4	56	24.99



PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
STOVE GASKET CEMENT Hi-temp adhesive for gasket rope.	SGC -1/2	1/2 PT. *B	25	18	7.26



PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
WELD-TITE Hi-temp liquid adhesive for fiber chambers.	WT -1	1 PT.	24	32	7.68
	WT -2	1 QT.	12	32	12.03
	WT -3	1 GAL.	4	45	43.25



PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
PATCHING CEMENT Professional Grade, fast setting, hi-strength anchoring cement for bolts, lags, masonry, with 3 times the bonding strength.	PATCH-3 O	3 LB.	6		18
				1 case	10.56
				25 cases	8.69
	PATCH-10 O	10 LB.	4		43
				1 case	22.73
				25 cases	18.99
PATCH-50 O	50 LB.	1		53	
			1 pail	73.02	
			25 pails	61.25	



**Cartridge

O Handle

*B Brush-In-Can

7 BOILER & REFRACTORY CEMENTS (ASBESTOS FREE, FIBERGLASS FREE)

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
SOS PLUG™ Instant setting hydraulic cement, stops leaks in basement walls and floors. Stops leaks in masonry surfaces. Sets in 3 to 5 minutes. Good for interior or exterior use. Hi-power professional formula.	PLUG -3 O	3 LB.	6	18	11.64
				1 case	9.35
				25 cases	
	PLUG -10 O	10 LB.	4	43	24.07
				1 case	19.60
				25 cases	
	PLUG -50 O	50 LB.	1	53	83.14
				1 pail	68.18
				25 pails	



8 BOILER & HEATING SYSTEM CLEANERS

AIROUT					
For air bound Hydronic systems. OIL FREE.	AR -1	1/2 GAL.	6	29	20.15
	AR -2	1 GAL.	4	37	38.43



SOS ANTI-FREEZE (INHIBITED) " -55° F. " CLICK HERE FOR ANTI-FREEZE TECH BULLETIN					
NON -TOXIC Stops freezing of Heating, Cooling and Fresh Water Systems. Burst Protection to -55° F.	AFBG -1	1 GAL.	6	52	22.04
	AFBG -5 O	5 GAL.	1	43	106.96
	AFBG -30	30 GAL.	1	286	620.40
	AFBG -55	55 GAL.	1	470	1091.55



SOS ANTI-FREEZE (INHIBITED) " -100° F. " CLICK HERE FOR ANTI-FREEZE TECH BULLETIN					
NON -TOXIC. Stops freezing of Heating, Cooling and Fresh Water Systems. Burst Protection to -100° F. Freeze Protection to -66° F.	AF -G1	1 GAL.	6	52	32.08
	AF -5G O	5 GAL.	1	43	153.78
	AF -30G	30 GAL.	1	286	889.13
	AF -55G	55 GAL.	1	470	1473.56



SOS ANTI-FREEZE (INHIBITED) " -200° F. " CLICK HERE FOR ANTI-FREEZE TECH BULLETIN					
NON -TOXIC Stops freezing of Heating, Cooling and Fresh Water Systems. Burst Protection to -200° F. Dilute as needed.	AFCN -1	1 GAL.	6	55	40.66
	AFCN -5 O	5 GAL.	1	47	200.55
	AFCN -30	30 GAL.	1	286	1183.29
	AFCN -55	55 GAL.	1	518	1910.08



SOS ALUMINUM ANTI-FREEZE (INHIBITED) "-100° F "					
NON-TOXIC Stops freezing in aluminum boiler systems. Burst Protection to -100° F. Dilute as needed.	AFG1AL	1 GAL.	6	55	26.80
	AF5AL O	5 GAL.	1	47	133.72
	AF55AL	55 GAL.	1	518	1039.50



SOS ANTI-FREEZE TEST KITS					
Designed to check cold protection and inhibitor levels. 6 bottles per case, 10 test strips per bottle.	AFTK -1		6	1	19.18



SOS ANTI-FREEZE INHIBITOR					
To recharge SOS Anti-Freeze systems & protect uninhibited systems.	AFI -8	8 OZ.	12	7	11.09
	REFRACTOMETER		1	2	203.28



BOILER CLEANER "ONE HOUR" "DrySteam". OIL FREE FORMULA					
	OHC -1	1 LB.	12	15	14.74



BOILER COLLOID					
The "Original" boiler cleaner and rust inhibitor. OIL FREE FORMULA	BC -1	1 QT.	12	34	14.74
	BC -4	1 GAL.	6	70	43.34
	BC -5 O	5 GAL.	1	50	219.03
	BC -55	55 GAL.	1	450	1684.72



CHIMNEY CLEANER					
Creosote and soot remover for wood and coal stoves, fireplaces & furnaces.	CHC -2	2 LB.	12	27	15.69



8

BOILER & HEATING SYSTEM CLEANERS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
LIME - SOLVENT (with pH test kit)					
The "Original" - removes lime, rust, scale, plaster, concrete from waste & water systems, heating & air conditioning equipment. *With Pour Spout.	LS-1	1 QT.	12	32	12.78
	LS-4	1 GAL. *	4	40	31.86
FOR PROFESSIONAL USE ONLY - NOT FOR RETAIL SALE					
LIQUID LUBE (with TEFLON®)					
Zone valve lubricant for hydronic systems. OIL FREE FORMULA.	LL-1	1 QT.	12	30	14.32
ATOMIC HEAT™					
10 in 1 fuel oil treatment. Controls waxing and gelling. Totally disperses water, clears burner nozzles, deicer, cleans filters and pumps. Eliminates soot, keeps flames clean, prevents corrosion and reduces smoke.	AH-1	1 PT.	12	27	8.40
PEP					
Removes gum & sludge from fuel tanks, lines, etc. De-icer. Space-Age formula.	PEP-1	1 QT.	12	20	14.67
	PEP-4	1 GAL.	4	32	45.45
	PEP-5 O	5 GAL.	1	38	200.00
	PEP-55	55 GAL.	1	340	1617.81
SOOT BLASTER®					
Throw in Plastic Pack directly into fire box. Clean, easy-to-use.	SBL-2	100 GMS.	48	13	3.04
	SBL-BP	100 GMS. *B	24	15	6.18
	(2 - 100 GM. SOOT BLASTERS IN ONE CARDED BLISTER PACK)				
SOOT DESTROYER POWDER					
Unique formula designed for oil, gas & wood heating units.	SD-1	1 LB.	24	27	8.01
	SD-2	2 LB.	12	30	15.53
	SD-8	8 LB.	6	47	47.72
SOOT DESTROYER SPRAY					
Easy removal of soot from heating systems, space heaters, stoves using oil, kerosene, gas, wood & L.P.	SDS-1	12 OZ. AEROSOL	12	12	11.20
WATER OUT					
For fuel oil tanks. Absorbs water, removes gum & sludge.	WO-1	1 QT.	12	27	16.87
	WO-4	1 GAL.	6	72	57.27
	WO-5 O	5 GAL.	1	53	258.32
	WO-55	55 GAL.	1	675	2364.87
CHERRY AIRE™					
Heavy Duty Fuel Oil Deodorant	CA-4	4 OZ.	12	6	8.40
FRESH AIRE™ Odor Neutralizer	FA-4	4 OZ.	12	6	8.91



9

CUTTING, LUBE & PENETRATING OILS

CUTTING OIL	CLEAR	DARK				
Specify CLEAR for hand threading & non-ferrous metal.	CO-1C	CO-1D	1 PT.**	24	25	8.36
	CO-2C	CO-2D	1 QT.**	12	26	11.26
	CO-4C	CO-4D	1 GAL.	6	51	23.63
DARK for high speed machines.	CO-5C O	CO-5D O	5 GAL.	1	37	113.65
	CO-55C	CO-55D	55 GAL.	1	465	943.51
KLING CUTTING OIL SPRAY						
Heavy-bodied, emulsion-cutting oil which clings to metal wherever it is sprayed. Contains XR-12 coolant.	KCO-1		13-1/4 OZ. AEROSOL	12	14	11.35
LUBE OIL						
For electric motors	LO-4		4 OZ.**	24	7	4.73
	LO-8		8 OZ.**	24	14	5.74




*B Carded Blister Paks

O Handle

** Spout Cap

9

CUTTING, LUBE & PENETRATING OILS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
BEARING ASSEMBLY LUBE Non-detergent lube oil will never gum or stick.	BAL -1	8 OZ.**	24	14	6.67
P.D.Q. PENETRATING SPRAY "Creeps" under frozen surface.	PDQ -1	11-½ OZ. AEROSOL	12	14	11.53
PENETRATE "77" A deodorized penetrant which Penetrates Darn Quick.	P77-1/2 P77 -1 P77 -2	1/2 PT.** 1 PT.** 1 QT.**	24 24 12	11 30 27	7.66 9.81 16.15
PIPE JOINT LUBE Use for pipe joints with rubber, plastic, or synthetic rubber gaskets.	 PJL -32 PJL -G	1 QT. 1 GAL.	12 4	25 17	8.45 31.48
PLUMBER'S HEAT-PROOF GREASE Lubricates valves, ball-cocks, stems of valves, etc.	HPG	2 OZ.	24	4	3.34
SILICONE GREASE 100% pure silicon grease. Ideal for rubber, plastic, synthetics Non-petroleum based.	SG-1	1.5 OZ.	24	4	2.42
PRO LUBE ® Lube Oil with telescopic spout.	PL -4	4 OZ.*d	24	6	5.79
S.O.S. #1 Displaces moisture, lubes, penetrates, stops rust.	SOS -1	11-¾ OZ.* AEROSOL	12	11	7.59
S.O.S. #2 Displaces moisture, lubes, penetrates, protects metal for 1 year.	SOS -2	11 OZ. AEROSOL	12	11	7.96
S.O.S. #3 Extra heavy duty lube, protects metal for 2 years, water displacer, penetrant. Meets Fed. Spec. 3 Mil-C-16173D Grade 3D.	SOS -3	10 OZ. AEROSOL	12	11	8.43
TFE PENETRATING OIL Made with Dupont Teflon ®	TPO -1	13 OZ. AEROSOL	12	16	9.33
SILICONE SPRAY (Giant size, Food Grade) All purpose, lubricates, waterproofs. -40°F to 500°F temp. range	SIL -1	12 OZ. AEROSOL	12	13	8.69



10 CLEANING & MAINTENANCE COMPOUNDS

ALL-PURPOSE DEGREASER Environmentally safe non-aerosol. Non-toxic, non-flammable, biodegradable.	BIO -1 BIO -G	1 PT.*** 1 GAL	12 4	15 35	5.48 17.80
NON-ACID CONDENSER COIL CLEANER For air conditioners	ALCON -4	1 GAL.	4	38	20.33
FOAMING ACID CONDENSER COIL CLEANER For air conditioners	CON -4	1 GAL.	4	40	21.36
FIN/COIL CLEANER For refrigeration condensers. Citrus formula.	COIL-1	20 OZ. AEROSOL	12	20	11.90



*Extension Tube

**Spout Cap

*d Display Carton

***Free Trigger Pump

10 CLEANING & MAINTENANCE COMPOUNDS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
CONTACT CLEANER Electrical grade. Leaves no residue, controlled evaporation.	CC-1	16 OZ. AEROSOL	12	15	10.34
DRY-PIPE Stops sweating pipes.	DP -1	14 OZ. AEROSOL	12	13	8.87
FIBERGLASS CLEANER & POLISH "World's Finest" For Fiberglass, Acrylic, Ceramic Tile, Chrome, Marble, Porcelain and Stainless Steel.	FG -1	18 OZ. AEROSOL	12	17	8.69
HEAVY DUTY DEGREASER Removes grease and dirt.	HDD -1	16 OZ. AEROSOL	12	15	11.53
INSTANT GALVANIZE Rust -proofs any metal.	IG-A	17 OZ. AEROSOL	12	15	11.75
LEAK DETECTOR (NON-FREEZING) Large bubbles appear instantly at point of leak.	LD	4 OZ.**	24	8	4.80
	LD-16	16 OZ.***	12	15	14.32
	LD-G	1 GAL.	4	36	32.30
ODOROUT POWDER Stops fuel oil odor, absorbs stains.	OP -1	1 LB. SHAKER TOP	12	15	8.71
ODOROUT SPRAY Stops fuel odor.	OS -1	13 OZ. AEROSOL	12	16	9.57
OIL ABSORBER Spread on spill; sweep clean.	OA -1	23 OZ. SHAKER TOP	12	18	10.67
	OA-10 O	10 LB.	1	10	16.50
	OA -50	50 LB.	1	50	45.21
SPEED CLEAN SPRAY Cleans & burnishes in one step	SC -1	16 OZ. AEROSOL	12	17	10.56
TOILET BOWL & PORCELAIN CLEANER Removes hardwater, rust, gray & yellow stains from porcelain & metal.	TBPC -1	1 QT.	12	28	8.43
WATER DETECTOR PASTE Detects water in fuel tanks.	WD -2	2 OZ.	12	6	8.29
CITRUS HAND SOAP All natural ingredients.	CHS -16	15 OZ.	12	15	7.88
	CHS -G	1 GAL. H	4	34	41.18
POWDERED HAND CLEANER Removes dirt; prevents dryness.	PHC	1-1/2 LB. SHAKER TOP	12	20	9.39
SUPER HAND WIPES 70 Pre-moistened citrus scented towels in dispenser. Hi-power formula.	WIPES	12" X 10"	6	14	22.42
REMOVES PLASTIC PIPE CEMENTS, GREASE, PAINTS, SEALANTS					
Also see our NEW Rough N Tough WIPES! See our addendum for info.					



11 PAINTS

ALUMINUM PAINT Chrome finish	AL -Q	1 QT.	12	30	11.53
	AL -4	1 GAL.	6	50	34.54

*** Free Trigger Pump

** Spout Cap

O Handle

H Pump Dispenser










11

PAINTS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
ASPHALT PAINT Fast drying, glossy finish.	AS-1 AS-4	1 QT. 1 GAL.	12 6	26 47	12.34 45.61
SPRAY PAINT Spray Paint and Enamel.	Aluminum Gloss Black Flat Black Gray White	AL-1 BK-1 FB-1 GR-1 WH-1	12-3/4 OZ. AEROSOL	12	13 9.13
HI-TEMP STOVE PAINT Great on both cast iron & steel. Rapid drying & forms a color fast surface which won't fade, peel or blister under normal use.	STV-P	12-3/4 OZ. AEROSOL	12	13	9.53



12 TOILET BOWL CALKS, BOLTS, TOILET ACCESSORIES, ANCHOR KITS & SCREWS

SUPER 8 CALK "World's Finest" Packed in Crush-Proof Plastic Pak and boxed. Built-in display tab.	WG-8	JUMBO SIZE	48	31	2.20	
		25-YEAR DURABILITY				
POLYFLANGE[®] CALK Fits 3" DWV & 4" Soil Pipe. Packed in Crush-Proof Plastic Pak and boxed. Built-in display tab.	WG-P	JUMBO SIZE	24	17	2.75	
		25-YEAR DURABILITY				
PRO-PAK[®] CALK SUPER 8 CALK in plastic bag POLYFLANGE [®] CALK in plastic bag	PRO-8 POLYPRO	JUMBO SIZE JUMBO SIZE	48 24	42 32	2.09 2.66	
"4" POLYFLANGE[®] CALK With plastic horn (For 4" Waste Lines Only) Packed in Crush-Proof Plastic-Pak and boxed.	WXP	JUMBO SIZE	24	17	2.29	
SUPER JUMBO CALK Extra thick wax ring.	JUMBORING	SUPER JUMBO	48	40	2.55	
SUPER JUMBO POLYFLANGE[®] CALK Extra thick wax ring with plastic horn. (3" & 4" waste lines)	JUMBOHORN	SUPER JUMBO	24	25	3.01	
URINAL URETHANE CALK Giant Size fits 2" Urinal Outlet.	URN	JUMBO SIZE	24	13	3.34	
SUPER 8 URETHANE CALK Urethane wax ring fits all standard closet bowls.	WG8UR	JUMBO SIZE	48	31	3.70	
POLYFLANGE[®] URETHANE CALK Urethane wax ring with flange for 3" & 4" waste lines. For floor & most wall bowls.	WGPUR	JUMBO SIZE	24	17	3.81	



SOLID BRASS BOLTS - BRASS ACCESSORIES

MADE WITH PRIDE IN THE U.S.A.					
PRO BOLT[®]-ALL BRASS 1/4" x 2 -1/4" SOLID BRASS, (2 Brass "Break -A-Way" PRO BOLTS, [®] 2 brass washers, 2 brass nuts, 2 "Fast-Set" washers).	PB-4B	1/4" x 2-1/4"	100 bags 200 bags 500 bags 1000 bags	11	2.64 2.55 2.46 2.42
Packed 10 bags per Master bag, 10 Master bags per Carton.					



NOTE: ALL PRO BOLTS MAY BE COMBINED FOR QUANTITY PRICING

12 TOILET BOWL CALKS, BOLTS, TOILET ACCESSORIES, ANCHOR KITS & SCREWS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
SOLID BRASS BOLTS - BRASS ACCESSORIES					
PRO BOLT® ALL BRASS 5/16" x 2 -1/4" SOLID BRASS, (2 Brass "Break-A-Way" PRO BOLTS®, 2 brass washers, 2 brass nuts, 2 "Fast -Set" washers).	PB-5B	5/16" x 2-1/4"	100 bags 200 bags 500 bags 1000 bags	15	3.26 3.21 3.17 3.12
Packed 10 Bags per Master Bag, 10 Master Bags per Carton.					
PRO BOLT® ALL BRASS (2 Brass 3-1/2 " PRO BOLTS®, 2 brass washers, 2 brass nuts, 2 "Fast-Set" washers).	PB4B-3 PB5B-3	1/4" x3-1/2" 5/16" x3-1/2"	100 bags 100 bags	15 20	2.79 5.17
Packed 10 Bags per Master Bag, 10 Master Bags per Carton.					
PRO BOLT® DOUBLE NUT ALL BRASS (2 Brass 2-1/4" PRO BOLTS®, 4 brass washers, 4 brass nuts).	PB4B-4	1/4" x 2-1/4"	100 bags	15	2.68
Packed 10 Bags per Master Bag, 10 Master Bags per Carton.					
SUPER PRO BOLT® ALL BRASS 1/4" x 2-1/4" SOLID BRASS with Captive Washer integral part already on PRO BOLTS® (2 solid brass "Break-A-Way" PRO BOLTS® with 2 captive washers, 2 brass nuts & 2 brass washers).	SPB-4B	1/4" x 2-1/4"	100 bags 200 bags 500 bags 1000 bags	13	2.77 2.66 2.55 2.46
Packed 10 Bags per Master Bag, 10 Master Bags per Carton.					
SUPER PRO BOLT® ALL BRASS 5/16" x 2-1/4" SOLID BRASS with Captive Washer integral part already on PRO BOLTS® (2 solid brass "Break-A-Way" PRO BOLTS® with 2 captive washers, 2 brass nuts & 2 brass washers).	SPB-5B	5/16" x 2-1/4"	100 bags 200 bags 500 bags 1000 bags	17	3.39 3.34 3.23 3.21
Packed 10 Bags per Master Bag, 10 Master Bags per Carton.					
TANK BOLTS BRASS 5/16" X 3-1/2" SOLID BRASS TANK BOLTS packed in plastic bags. (2 brass TANK BOLTS, 2 wing nuts, 2 brass nuts, 4 steel washers, 4 rubber washers.)	TB-5	5/16" x 3-1/2"	25 bags	7	4.60
Packed 10 Bags per Master Bag, 10 Master Bags per Carton.					
SOLID BRASS BOLTS - PLATED ACCESSORIES					
PRO BOLT® BRASS 1/4" x 2 -1/4" SOLID BRASS BOLT, (2 Brass "Break-A-Way" PRO BOLTS®, 2 steel washers, 2 nickel-plated nuts, 2 "Fast-Set" washers).	PB-4BX	1/4" x 2-1/4"	100 bags 200 bags 500 bags 1000 bags	11	2.31 2.20 2.11 2.02
Packed 10 Bags per Master Bag, 10 Master Bags per Carton.					
PRO BOLT® BRASS 5/16" x 2-1/4" SOLID BRASS BOLT, (2 Brass "Break-A-Way" PRO BOLTS®, 2 steel washers, 2 nickel-plated nuts, 2 "Fast-Set" washers).	PB-5BX	5/16" x 2-1/4"	100 bags 200 bags 500 bags 1000 bags	15	2.88 2.84 2.79 2.77
Packed 10 Bags per Master Bag, 10 Master Bags per Carton.					
SUPER PRO BOLT® BRASS 1/4" x 2-1/4" SOLID BRASS with Captive Washer integral part already on PRO BOLT® (2 solid brass "Break-A-Way" PRO BOLTS® with 2 captive washers, 2 nickel-plated nuts, 2 steel washers).	SPB-4BX	1/4" x 2-1/4"	100 bags 200 bags 500 bags 1000 bags	13	2.44 2.31 2.18 2.11
Packed 10 Bags per Master Bag, 10 Master Bags per Carton.					



NOTE: ALL PRO BOLTS MAY BE COMBINED FOR QUANTITY PRICING

12 TOILET BOWL CALKS, BOLTS, TOILET ACCESSORIES, ANCHOR KITS & SCREWS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
---------	-----------	------	-----------	---------------	-----------------

SOLID BRASS BOLTS - PLATED ACCESSORIES

SUPER PRO BOLT[®] BRASS

5/16" x 2-1/4" SOLID BRASS BOLT with Captive Washer integral part already on PRO BOLT[®] (2 solid brass "Break-A-Way" PRO BOLT[®] with 2 captive washers, 2 nickel-plated nuts, 2 steel washers).

SPB -5BX	5/16" x 2-1/4"	100 bags	17	2.97
		200 bags		2.84
		500 bags		2.77
		1000 bags		2.68

Packed 10 Bags per Master Bag, 10 Master Bags per Carton.



BRASS-PLATED STEEL BOLTS

PRO BOLT[®] PLATED

1/4" x 2-1/4" Plated Steel, packed in plastic bags. (2 Plated PRO BOLTS[®], 2 Steel Round Washers, 2 nickel-plated nuts, 2 "Fast -Set" washers.)

PB -4S	1/4" x 2-1/4"	100 bags	10	1.08
		200 bags		1.01
		500 bags		.95
		1000 bags		.86

Packed 10 Bags per Master Bag, 10 Master Bags per Carton.



PRO BOLT[®] PLATED

5/16" x 2-1/4" Plated Steel (2 Plated PRO BOLTS[®], 2 Steel Round Washers, 2 nickel plated nuts, 2 "Fast -Set" washers.)

PB -5S	5/16" x 2-1/4"	100 bags	14	1.28
		200 bags		1.23
		500 bags		1.21
		1000 bags		1.17

Packed 10 Bags per Master Bag, 10 Master Bags per Carton.



TOILET ACCESSORIES

TOILET BOLT CAPS

White bolt caps with snap-on plastic inserts. Packaged in plastic bags.

PBCAPW		12	2	1.41
--------	--	----	---	------



SPANNER FLANGE

For repairing broken toilet flanges. Kit contains screws, washers & anchors.

SPAN-1		12	3	5.35
--------	--	----	---	------



ANCHOR KITS

ANCHOR KITS

With Combination Head; One "Slow Spiral" Carbide Masonry Bit.

1/4" Contains: 100 Plastic Anchors; 100 No. 10 x 1-1/4" sheet metal screws per kit.

ANC -1/4	1/4" X 1-1/4"	12	13	11.66
	1/4" drill bit			

3/16" Contains: 100 Plastic Anchors; 100 No. 8 x 1" sheet metal screws per kit.

ANC -3/16	3/16" X 1"	12	9	10.78
	3/16" drill bit			

5/16" Contains: 50 Plastic Anchors; 50 No. 14 x 1-1/4" sheet metal screws per kit.

ANC -5/16	5/16" X 1-1/4"	12	13	15.44
	5/16" drill bit			



CLOSET SCREWS

SOLID BRASS CLOSET SCREWS

2 Brass Screws
2 Heavy Nickel-Plated Nuts
2 Heavy Brass -Plated Oval Washers

CS4B2O	1/4" x 2 -1/2"	50	5	2.09
CS4B3O	1/4" x 3 -1/2"	50	6	2.46
CS5B2O	5/16" x 2 -1/2"	50	6	2.90
CS5B3O	5/16" x 3 -1/2"	50	6	3.61



12 TOILET BOWL CALKS, BOLTS, TOILET ACCESSORIES, ANCHOR KITS & SCREWS

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
CLOSET SCREWS					
BRASS-PLATED CLOSET SCREWS					
2 Plated Screws	CS4S2O	1/4" x 2-1/2"	50	5	1.19
2 Heavy Nickel -Plated Nuts	CS5S2O	5/16" x 2-1/2"	50	6	1.65
2 Heavy Brass -Plated Oval Washers					
CALKS WITH BOLTS					
SUPER 8 CALK w/ PRO BOLT KIT					
Super 8 wax ring packed-w/ PB4BX (2 solid brass "Break-A-Way" PRO BOLTS, 2 nickel-plated washers, 2 nickel-plated nuts, 2 "Fast-Set" washers.)	WG8BKX	JUMBO SIZE	48	32	4.05
POLYFLANGE CALK w/ PRO BOLT KIT					
Fits 3" DWV & 4" soil pipe Polyflange wax ring packed w/ PB4BX (2 solid brass "Break-A-Way" PRO BOLTS, 2 nickel-plated washers, 2 nickel-plated nuts, 2 "Fast-Set" washers.)	WGPBKX	JUMBO SIZE	24	18	4.51
POLYFLANGE CALK "4" w/ PRO BOLT KIT					
For 4" waste lines ONLY Polyflange wax ring packed w/ PB4BX (2 solid brass "Break-A-Way" PRO BOLTS, 2 nickel-plated washers, 2 nickel-plated nuts, 2 "Fast-Set" washers.)	WXPBKX	JUMBO SIZE	24	18	4.40



13 BRUSHES, SAND CLOTH & ACCESSORIES

ACID, FLUX & PRO-SOLDER BRUSHES	AB-5	5-3/4"	144	2	.37
PIPE DOPE BRUSH	PDB-7	7"	36	2	1.39
PLASTIC PIPE CEMENT DAUBERS	PPD-4	1-1/4" diam.	48	1	.90
1-1/4" diameter fits 1/4 pint can sizes	PPD-8	1-3/4" diam.	48	2	.92
1-3/4" diameter fits 1/2 pint, 1 pint and 1 quart can sizes	PPD-16	1-3/4" diam.	48	2	.95
	PPD-32	1-3/4" diam.	48	2	.99
CAULKING GUN	GUN		12	15	7.50
For use with cartridge applications.	MADE WITH PRIDE IN THE U.S.A.				
PLUMBERS SAND CLOTH ROLL					
120 Grit. Cleans & polishes pipe & fittings for joining. High quality.	PSC-10	1-1/2"x10 yd	24	11	7.83
	PSC-25	1-1/2"x25 yd	12	16	17.12
PLUMBERS OPEN MESH SAND CLOTH					
Abrasive Cloth 180 Grit.	POM-5	1-1/2"x 5 yd	10	3	10.27
Waterproof, high quality.	POM-10	1-1/2"x10 yd	10	6	17.12
	POM-25	1-1/2"x25 yd	10	12	23.43
PLUMBERS "SUPER RED CUT" SAND CLOTH ROLL					
Cleans & polishes pipe & fittings.	PSCR-10	1-1/2"x10 yd	24	11	7.96
	PSCR-25	1-1/2"x25 yd	12	13	17.38
FITTING BRUSHES					
WIRE HANDLE	WFB-1/2	1/2"	36	3	3.59
Cleans Copper Fittings.	WFB-3/4	3/4"	36	3	3.78
	WFB-1	1"	36	3	4.27
	WFB-1-1/4	1-1/4"	12	2	4.95
	WFB-1-1/2	1-1/2"	12	2	5.21
	WFB-2	2"	12	2	5.90



13 BRUSHES, SAND CLOTH & ACCESSORIES

PRODUCT	STOCK NO.	SIZE	CASE QTY.	SHIP WT. LBS.	LIST PRICE EACH
FITTING BRUSHES	PFB-1/2	1/2"	36	4	4.66
PLASTIC HANDLE	PFB-3/4	3/4"	36	4	4.95
Cleans Copper Fittings.	PFB-1	1"	36	4	5.19
	PFB-1-1/4	1-1/4"	12	2	6.12
	PFB-1-1/2	1-1/2"	12	2	6.89
	PFB-2	2"	12	3	7.39
TUBE CLEANING BRUSHES	TCB-1/2	1/2"	36	2	4.05
Cleans Copper Tubing O D.	TCB-3/4	3/4"	36	3	4.53
	TCB-1	1"	36	4	4.97
PVC CABLE SAW (Heavy Duty)					
Cuts PVC Plastic Pipe, up to 4". Good for hard-to-reach areas.	PVCSAW		12	2	8.03
SUPER STRAP™ TIE-DOWN STRAPS	STRAP -15	15"	50	14	2.93
Made of EPDM Rubber. Made in USA. Lifetime Guarantee.	STRAP -21	21"	50	15	3.37
	STRAP -31	31"	50	20	3.87



14 COMBUSTION CHAMBERS & BAFFLES

AVAILABLE SIZES AND PRICES ON REQUEST.

15 ROOF FLASHINGS

*S.O.S. ALUMINUM FLASHING	RFA -1	1-1/4 -1-1/2"	12	5	11.75
Single die-formed base with hi-performance EPDM collar.	RFA -2	2"	12	5	12.63
Collar lock-formed to base.	RFA -3	3"	12	8	13.86
	RFA -4	4"	12	11	16.81
*S.O.S. GALVANIZED FLASHING	RFG -1	1-1/4 -1-1/2"	12	10	9.53
Single die-formed base with hi-performance EPDM collar.	RFG -2	2"	12	10	10.10
Collar lock-formed to base.	RFG -3	3"	12	14	10.96
	RFG -4	4"	12	19	14.17
*S.O.S. NEO-POLY FLASHING	RFNP-1	1-1/4 -1-1/2"	12	5	8.69
With an Elastomer collar molded onto a thermoplastic base.	RFNP-2	2"	12	5	8.95
	RFNP-3	3"	12	7	9.11
	RFNP-4	4"	12	9	10.21
*S.O.S. ALL- RUBBER FLASHING	RFR -1	1-1/4 -1-1/2"	12	8	9.20
Injection-molded one-piece EPDM all-rubber Flashing.	RFR -2	2"	12	8	9.66
	RFR -3	3"	12	12	11.75
	RFR -4	4"	12	14	14.70
*S.O.S. COPPER FLASHING	RFC -1	1-1/4 -1-1/2"	12	10	47.23
One-piece die-formed base with EPDM collar lock-formed to base.	RFC -2	2"	12	10	49.43
	RFC -3	3"	12	18	56.85
	RFC -4	4"	12	20	61.62



***Roof Flashing Discounts:**
1-5 dozen: Priced per above
6-24 dozen: Sheet Price less two 10%'s NET
25 dozen +: Sheet Price less three 10%'s NET

SANITIZED STOCK NO. RTWIPES

RUGGED PRE-MOISTENED HAND CLEANING TOWELS



SOS ROUGH N' TUFF WIPES

TM

**NEW PRE-MOISTENED
HAND CLEANING
TOWELS!**

CONTAINS LANOLIN, ALOE,
AND VITAMIN E.
No Harsh Chemicals or Solvents.

REMOVES:
Plastic Pipe Cement
Oil and Grease
Sealants
Paint
Tar and Tough Soils
And So Much More

ORANGE



**NEW DUAL TOWEL
ONE SIDE ROUGH
ONE SIDE SMOOTH**

72

LARGE

12" x 10" SHEETS



SOSProducts
Box 47, East Greenville, Pa. 18041 USA
800-345-6300
800-2-FAX-SOS
215-679-6262
info@sos-prod.com
www.sos-prod.com

*** TERMS & CONDITIONS ***

1. TERMS

Cash Discount. From date of invoice, 2%, 10th prox., past due thereafter.

2. FREIGHT TERMS

FACTORY AND WAREHOUSE: Orders totaling \$1000.00 or more - FFA & PREPAID.

3. FREIGHT CHARGES

All shipments that do not qualify for Full Freight Allowed & Prepaid will be sent Freight Collect. Shipments are made via most economical routing. If customer specifies a more expensive routing, the difference will be paid by the customer.

4. DAMAGES

If cartons are delivered by carrier in damaged condition, obtain notation on Freight Bill so you may file claim for the damage. Since damage may be concealed, all cartons should be opened within two weeks of receipt and contents carefully inspected. Claims for concealed damage must be filed with two weeks from date of delivery. SOS Traffic Department will assist customers who lack the facilities for filing freight claims by contacting us and supplying notated receipt.

5. STANDARD PACKAGE SHIPMENTS ONLY:

SOS reserves the right to increase or decrease orders to nearest Case Quantity. Cases are not broken.

6. RETURN GOODS POLICY:

All merchandise returned will be subject to the following charges:

WITH SOS INVOICE NUMBER AND DATE - NO RESTOCKING CHARGE

WITHOUT SOS INVOICE NUMBER - 15% RESTOCKING CHARGE

All returns must be:

1) Within 2 years of the date of purchase with the exception of products purchased as per our "Guaranteed Sales Policy".

2) In resalable condition (no markings on package - clean, unmarred merchandise) in standard carton quantities only.

3) The item must have a Return Goods Authorization (R.G.A.) number, obtained prior to shipment and written on the outside of the freight prepaid shipping carton. Merchandise returned without a Return Goods Authorization number will be refused.

Any merchandise not returned according to SOS Returned Goods Policy will be held pending customer disposition.

7. SPECIAL ORDERS & DROP SHIPMENTS

All special orders must be in accordance with standard packaging. SOS must be given an irrevocable purchase order to initiate special orders or drop shipments.

8. WARRANTY

SOS warrants all products to be free from defects in material and workmanship. SOS's liability is limited to replacing OR crediting the value (at our option) of any product(s) proven defective when returned freight prepaid to the factory. Defective merchandise must be accompanied by a Return Goods Authorization (R.G.A.) number, obtained prior to shipment and written on the outside of the shipping carton. Merchandise returned deemed not under warranty will be held pending customer disposition. No other warranty is expressed or implied. SOS neither assumes nor authorizes any person(s) to assume any liability in connection with the sale of its products.

9. MINIMUM ORDER: \$100.00

10. NOTE: ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

11. MATERIAL SAFETY DATA SHEET INFORMATION:

Material Safety Data Sheets are available for every SOS product.

12. SOS STANDARDIZATION DISCOUNT PROGRAM

The Standardization Discount will be computed according to the following schedule:

20 or more SOS Products 5% Discount

15 to 19 SOS Products 4% Discount

10 to 14 SOS Products 3% Discount

5 to 9 SOS Products 2% Discount

Wholesalers who purchase the required number of different SOS Products as per above schedule will receive the Standardization Discount on every invoice for the current year and following year. **NOTE:** Different sizes of the same product are considered one product.

NOTE: The Standardization Discount does not apply to SOS Wax Rings, Special Priced items or Promotional Priced Items.